

New combinations and resurrected names in *Microcharis* and *Indigastrum* (Fabaceae–Papilionoideae)

B.D. SCHRIRE*

Keywords: *Indigastrum*, *Indigofera*, *Microcharis*, new combinations, resurrected names, taxonomy

ABSTRACT

As a result of cladistic studies in the tribe Indigofereae in Africa and Madagascar (Schrire 1991) evidence was accumulated to justify resurrecting the genera *Microcharis* Benth. and *Indigastrum* Jaub. & Spach, which were previously considered part of *Indigofera* L. All described species in each genus are listed alphabetically. Forty-seven new combinations, six changes in rank and four resurrected names are published.

UITTREKSEL

Na aanleiding van kladistiese studies van die tribus Indigofereae in Afrika en Madagaskar (Schrire 1991), is getuienis versamel ter regverdiging van die herinstelling van die genusse *Microcharis* Benth. en *Indigastrum* Jaub. & Spach, wat voorheen as deel van *Indigofera* L. beskou is. Alle spesies wat in elke genus beskryf is, word alfabeties gelys. Sewe-en-veertig nuwe kombinasies, ses veranderinge in rang en vier heringestelde name word gepubliseer.

MICROCHARIS Benth.

Microcharis Benth. in Benth. & Hook. f., Genera plantarum 1: 501 (1865a); Benth.: 297 (1865b); Bak.: 132 (1871); Taub.: 277 (1894); Engl.: 213 (1895); Hutch. & Dalziel: 388 (1927); Bak. f.: 256 (1929). Lectotype species: *Microcharis tenella* Benth., selected by J.B. Gillett: 127 (1958).

Indigofera subgenus *Microcharis* (Benth.) J.B. Gillett: 127 (1958c); J.B. Gillett: 321 (1971).

Indigofera subgenus *Indigastrum* sensu Cronquist: 124 p.p. excl. sp. 64.

Indigofera sensu Hutch.: 400 (1964); Polhill: 291 (1981); De Kort & Thijsse: 104 (1984); Lock: 289 (1989); Thulin: 119 (1990).

1. *Microcharis ammophila* (Thulin) Schrire, comb. nov.

Indigofera ammophila Thulin in Nordic Journal of Botany 2: 47 (1982). Type: Kenya, Mandra Dist., 12 km S of El Wak on Wajir road, 11-5-1978, Gilbert & Thulin 1672 (UPS, holo.; BR, C, EA, K!, KRA, MO, WAG).

2. *Microcharis angolensis* Bak. in Flora of tropical Africa 2: 132 (1871); Hiern: 230 (1896). Type: Angola, Pungo Andongo, banks of river Cuanza, near Calunda-Quisonde, fl. 1-1857, Welwitsch 2004 (LISU, lecto.; BM!, K!). Selected by Torre (1962), although incorrectly designated a holotype.

Indigofera richardsiae J.B. Gillett: 583 (1956); J.B. Gillett: 131 (1958c); Torre: 137 (1962); J.B. Gillett: 323 (1971). Type: Zambia, Mbala Dist., Pans road, Richards 1268 (K, holo.). J.B. Gillett published this name because of *Indigofera angolensis* D. Dietr.

3. *Microcharis annua* (Milne-Redh.) Schrire, comb. nov.

Indigofera annua Milne-Redh. in Kew Bulletin 1936: 470 (1936); J.B. Gillett: 133 (1958c). Type: Zimbabwe, Hwange, 4-1932, Levy 36 (PRE, holo.; K!, SRGH).

4. *Microcharis aphylla* (Viguiet) Schrire, Du Puy & Labat, comb. et stat. nov.

Indigofera phyllogramme Viguiet var. *aphylla* Viguiet in Notulae Systematicae 13: 369 (1949) p.p., lecto. incl.; J.B. Gillett: 132 (1958c). Type: Madagascar, Perrier 13845 (P, lecto.; K!, MO, P!). Lectotype selected here.

5. *Microcharis asparagoides* (Taub.) Schrire, comb. nov.

Indigofera asparagoides Taub. in Engl., Die Pflanzenwelt Ost-Afrikas und der Nachbargebiete. C: 210 (1895); Bak. f.: 125 (1926); Cronq.: 172 (1954); J.B. Gillett: 176 (1958b); J.B. Gillett: 135 (1958c); J.B. Gillett: 326, t.47 (1971). Types: Tanzania, Bukoba, Stuhlmann 3989, 4101 (B, syn. †); Ihangiro, Stuhlmann 3353 (B, syn. †).

6. *Microcharis brevistaminea* (J.B. Gillett) Schrire, comb. nov.

Indigofera brevistaminea J.B. Gillett in Kew Bulletin, Additional Series 1: 130 (1958c). Type: Zaïre, NE of Lake Moero, Niembe River, 27-5-1908, Kassner 3009 (K, holo.; BM).

7. *Microcharis buchneri* (Taub.) Schrire, comb. nov.

Indigofera buchneri Taub. in Botanische Jahrbücher 23: 180 (1896); Bak. f.: 105 (1926); J.B. Gillett: 131 (1958c); Torre: 138 (1962). Type: Angola, Malanje, Buchner 644 (B, holo. †; BM, sketch!).

8. *Microcharis butayei* (De Wild.) Schrire, comb. nov.

Indigofera butayei De Wild. in Annales du Musée du Congo Belge, Botanique Série 5, 1: 132 (1904); J.B. Gillett: 135 (1958c); J.B. Gillett: 325 (1971); Thulin: 100 (1983); Thulin: 138 (1990). Type: Zaïre, Lower Congo, N'Lemfu, Butaye, coll. Gillet 1208 (BR, lecto.). Lectotype selected here.

* Botany Department, University of Natal, Pietermaritzburg, South Africa. Present address: Royal Botanic Gardens, Kew, Richmond, Surrey, TW9 3AB, UK.

MS. received: 1991-08-27.

I. medicaginea sensu Bak. f.: 120 (1926); Cronq.: 171 (1954) p.p., non Welw. ex Bak.

9. *Microcharis cana* (Thulin) Schrire, comb. nov.

Indigofera cana Thulin in Nordic Journal of Botany 2: 48 (1982); Thulin: 99 (1983); Thulin: 138 (1990). Type: Ethiopia, Wello Region, below Bati on Assab road, 18-9-1962, *Mooney 9620* (ETH, holo.; UPS).

10. *Microcharis contorta* (J.B. Gillett) Schrire, comb. nov.

Indigofera contorta J.B. Gillett in Kew Bulletin, Additional Series 1: 133 (1958c). Type: South Yemen, Riyan Airport, *Guichard KG/HAD/349* (BM, holo.!).

11. *Microcharis cufodontii* (Chiov.) Schrire, comb. nov.

Indigofera cufodontii Chiov. in Cufodontis, Missione biologica nel paese dei Borana: 71, t.12 (1939); J.B. Gillett: 134 (1958c); J.B. Gillett: 324 (1971); Thulin: 100 (1983); Thulin: 138 (1990). Types: Ethiopia, Sidamo Region, Yavello, *Cufodontis 473, 613* (FI, syn.).

12. *Microcharis disjuncta* (J.B. Gillett) Schrire, comb. nov.

var. *disjuncta*

Indigofera disjuncta J.B. Gillett var. *disjuncta* in Kew Bulletin 1955: 584 (1956); J.B. Gillett: 543 (1958a); J.B. Gillett: 132 (1958c); A. Schreib.: 55 (1970). *I. acutifolia* Schinz: 163 (1888) non Schlecht. (1838). Type: Namibia, Kuisib, 24-4-1885, *H. Schinz 245* (Z, holo.!).

I. arenaria sensu Bak.: 79 (1871); Bak. f.: 192 (1903); Bak. f.: 108 (1926), non A. Rich.: 183 (1847) nec E. Mey.: 107 (1836).

I. semhaensis Vierh.: 362 (1907) p.p. quoad typum.

I. welwitschii Bak. var. *simplicifolia* Bak. f.: 253 (1932). Type: Namibia, Karibib, *Dinter 2523* (B, holo. †); *Dinter 6971* (BM, neo.!). K!). Neotypified by J.B. Gillett: 585 (1956).

var. *fallax* (J.B. Gillett) Schrire, comb. nov.

Indigofera disjuncta J.B. Gillett var. *fallax* J.B. Gillett in Kew Bulletin 1955: 585 (1956); J.B. Gillett: 132 (1958c). Type: Socotra, *Bayley Balfour 674* (K, holo.!).

I. leptocarpa Hochst. & Steud. ex Balf. f.: 510 (1882) p.p., non Eckl. & Zeyh.: 236 (1836).

13. *Microcharis ephemera* (J.B. Gillett) Schrire, comb. et stat. nov. Type: Tanzania, 6.5 km from Mbeya on Tukuyu Rd, 1 680 m, fl. 12-5-1956, *Milne-Redhead & Taylor 10197* (K, holo.!.; EA, B, BR, LISC).

Indigofera asparagoides Taub. subsp. *ephemera* J.B. Gillett in Kew Bulletin 13: 176 (1958b); J.B. Gillett: 328 (1971).

14. *Microcharis galpinii* N.E.Br. in Kew Bulletin 1897: 258 (1897); N.E. Br.: 375 (1932). Type: South Africa, Transvaal, nr Barberton, summit of Saddleback Mtn, ± 1 500 m, 8-3-1891, *Galpin 1315* (K, holo.!.; GRA!, PRE!).

Microcharis pseudo-indigofera Merxm.: 22 (1951). *Indigofera pseudo-indigofera* (Merxm.) J.B. Gillett: 132 (1958c). Type: Zimbabwe, Marondera Dist., *Dehn 627* (M, holo.; SRGH).

Indigofera graminea Schltr., nom. nud.

15. *Microcharis garissaënsis* (J.B. Gillett) Schrire, comb. nov.

Indigofera garissaënsis J.B. Gillett in Kew Bulletin 24: 502 (1970); J.B. Gillett: 324 (1971). Type: Kenya, near Tana River, 16 km SE of Garissa, 180 m, 1-1961, *Lucas 18* (K, holo.!.; EA).

16. *Microcharis gyrata* (Thulin) Schrire, comb. nov.

Indigofera gyrata Thulin in Nordic Journal of Botany 2: 45, 46 (1982); Thulin: 138 (1990). Type: Kenya, Mandera Dist., 4 km on the Mandera-Ramu road, 3-5-1978, *Gilbert & Thulin 1372* (UPS, holo.; BR, C, EA, K!, KRA, MO, WAG).

17. *Microcharis karinensis* (Thulin) Schrire, comb. nov.

Indigofera karinensis Thulin in Nordic Journal of Botany 8: 469 (1989). Type: Somalia, Bari Region, 15 km on the El Gal-Qandala road, 23-11-1986, *Thulin & Warfa 6003* (UPS, holo.; K!, MOG).

18. *Microcharis kucharii* (Thulin) Schrire, comb. nov.

Indigofera kucharii Thulin in Nordic Journal of Botany 8: 471 (1989). Type: Somalia, Hiran Region, Bulu Burti Dist., 12-12-1987, *Kuchar 17609* (UPS, holo.; K!, MOG).

19. *Microcharis latifolia* Benth. in Transactions of the Linnean Society 25: 298, t. 33 B (1865b); Taub. in Engl.: 213 (1895); Bak. f.: 256 (1926). Type: Mozambique, Luabo, mouth of Zambezi, *Kirk s.n.* (K, holo.!).

Indigofera lobata J.B. Gillett: 131 (1958c); J.B. Gillett: 322 (1971). J.B. Gillett published this nom. nov. because of *Indigofera launifolia* Micheli.

20. *Microcharis longicalyx* (J.B. Gillett) Schrire, comb. nov.

Indigofera longicalyx J.B. Gillett in Kew Bulletin 1955: 583 (1956); J.B. Gillett: 543 (1958a); J.B. Gillett: 130 (1958c). Type: Nigeria, Jos (or Bauchi) plateau, without exact locality, plains, 8-1930, *Lely P643* (K, holo.!).

I. lateritia Chev.: 174 (1920) non Willd.: 1233 (1802) nec Bertol.: 5 (1832).

Microcharis tenella sensu Bak. f.: 256 p.p.; Hutch. & Dalz.: 388 (1927) p.p., non Benth.

21. *Microcharis medicaginea* (Welw. ex Bak.) Schrire, comb. nov.

Indigofera medicaginea Welw. ex Bak. in Oliver, Flora of tropical Africa 2: 86 (1871); Hiern: 210 (1896); Harms: 578 (1915); sensu Bak. f.: 120 (1926) and sensu Cronq.: 171 (1954) p.p., quoad typum solum; J.B. Gillett: 135 (1958c); Torre: 139 (1962) non A. Schreib.: 293 (1957). Type: Angola, Pungo Andongo, by the stream of Catete, 5-1857, *Welwitsch 2026* (BM, lecto.!.; K!, LISU). Type selected by Torre (1962).

22. *Microcharis microcharoides* (Taub.) Schrire, comb. nov.

Indigofera microcharoides Taub. in Engl., Die Pflanzenwelt Ost-Afrikas und der Nachbargebiete C: 209 (1895); Bak. f.: 106 (1926); J.B. Gillett: 131 (1958c); J.B. Gillett: 323 (1971). Type: Tanzania or Kenya, "Masai steppe", *Fischer 288* (B, holo. †; BM, sketch!); Tanzania, Pare Dist., *Haarer 1355* (K, neo.!.; EA). J.B. Gillett (1958c) neotypified this species but the neotype was not cited in his revision for the Flora of tropical East Africa (1971).

var. *microcharoides*

J.B. Gillett in Kew Bulletin 24: 502 (1970); J.B. Gillett: 324 (1971).

Rhynchotropis curtisiae Johnst.: 23 (1925); Bak. f.: 167 (1926). Type: Kenya, Mau range SW of Kijabe, *Curtis 814* (GH, holo.).

var. **latestipulata** (*J.B. Gillett*) *Schrire*, comb. nov.

Indigofera microcharoides Taub. var. *latestipulata* J.B. Gillett in Kew Bulletin 24: 502 (1970); J.B. Gillett: 324 (1971). Type: Kenya, between Uмба and Mwena Rivers on Lungalunga-Msambweni road, 100 m, 14-8-1953, *Drummond & Hemsley 3784* (K, holo.; EA).

23. **Microcharis phyllogramme** (*Viguier*) *Schrire*, *Du Puy & Labat*, comb. nov.

Indigofera phyllogramme Viguier in Notulae Systematicae 13: 369 (1949); J.B. Gillett: 132 (1958c). Type: Madagascar, *Perrier 4876* (P, lecto.; K!, P!). Lectotype selected here.

24. **Microcharis praetermissa** (*Bak. f.*) *Schrire*, comb. nov.

Indigofera praetermissa Bak. f., The Leguminosae of tropical Africa: 121 (1926); J.B. Gillett: 134 (1958c). Type: Zaïre, Lake Mweru, *Kassner 2809* (K, holo.).

I. welwitschii var. *remotiflora* sensu Cronq.: 171 (1954) p.p. non Bak.

25. **Microcharis remotiflora** (*Taub. ex Bak. f.*) *Schrire*, comb. nov.

Indigofera remotiflora Taub. ex Bak. f., The Leguminosae of tropical Africa 1: 121 (1926) p.p. excl. var. *angolensis* Bak. f., loc. cit. Type: Cameroon, *Staudt 486* (B, holo. †); *Zenker 486* (BM, neo.). Neotypified by J.B. Gillett (1958c). The identity of var. *angolensis* Bak. f. is uncertain but it is not conspecific with *I. remotiflora*.

I. welwitschii Bak. var. *remotiflora* (Taub. ex Bak. f.) Cronq.: 172 (1954); J.B. Gillett: 543 (1958a); J.B. Gillett: 134 (1958c); Torre: 139 (1962); Binns: 82 (1968); J.B. Gillett: 326 (1971).

26. **Microcharis sessilis** (*Thulin*) *Schrire*, comb. nov.

Indigofera sessilis Thulin in Nordic Journal of Botany 8: 475 (1989). Type: Somalia, Bari Region, 8 km NE of Gorgore, 26-11-1985, *Thulin & Warfa 5561* (UPS, holo.; E, FT, K!, MOG).

27. **Microcharis spathulata** (*J.B. Gillett*) *Schrire*, comb. nov.

Indigofera spathulata J.B. Gillett in Kew Bulletin, Additional Series 1: 129 (1958c); J.B. Gillett: 322 (1971). Type: Zambia, Mweru-Luapula Dist., near Mbereshi, *Walter 7* (K, holo.).

28. **Microcharis stipulosa** (*Chiov.*) *Schrire*, comb. nov.

Indigofera stipulosa Chiov. in Cufodontis, Missione biologica nel paese dei Borana 75, t. 13 (1939); J.B. Gillett: 132 (1958c); Thulin: 99 (1983); Thulin: 137 (1990). Type: Ethiopia, Sidamo Region, Neghelli, *Cufodontis 228* (FT, holo.).

29. **Microcharis tenella** *Benth.* in Transactions of the Linnean Society 25: 297, t. 33A (1865b); Bak.: 132 (1871); Bak. f.: 256 (1929) p.p. Type: Nigeria, Jeba on the Kworra, *Barter s.n.* (K, lecto.). Lectotype selected by J.B. Gillett: 584 (1956).

Indigofera hutchinsoniana J.B. Gillett: 584 (1956); J.B. Gillett: 543 (1958a); J.B. Gillett: 132 (1958c). J.B. Gillett published this nom. nov. because of *Indigofera tenella* Vahl ex DC.

I. welwitschii sensu Hutch. & Dalz.: 393 (1927) non Bak.

30. **Microcharis tenuirostris** (*Thulin*) *Schrire*, comb. nov.

Indigofera tenuirostris Thulin in Nordic Journal of Botany 8: 476 (1989). Type: Somalia, Nugal Region, 11 km from Garoe along road to Halin, 8-2-1984, *Warfa 1000* (UPS, holo.).

31. **Microcharis tisserantii** (*Pellegr.*) *Schrire*, comb. nov.

Indigofera asparagoides Taub. var. *tisserantii* Pellegr. in Bulletin Société de Botanique de France 72: 538 (1925). Type: Chad [Oubangui], Waka Region, Bayedou rocks, *Tisserant 1650* (P, holo.).

I. tisserantii (Pellegr.) Pellegr.: 6 (1947); Cronq.: 173 (1954); J.B. Gillett: 136 (1958c).

32. **Microcharis tritoides** (*Bak.*) *Schrire*, comb. nov.

Indigofera tritoides Bak. in Kew Bulletin 1895: 214 (1895); Bak. f.: 108 (1926). Type: Somalia, Golis Range, near Dara-as, *Miss E. Cole s.n.* (K, holo.).

subsp. **tritoides**

Indigofera tritoides Bak. var. *tritoides*

J.B. Gillett in Kew Bulletin, Additional Series 1: 133 (1958c); Thulin: 100 (1983); Thulin: 138 (1990).

I. leptocarpa Hochst. & Steud. ex Balf. f.: 510 (1882) p.p., non Eckl. & Zeyh.: 236 (1836). Type: Arabia, 1837, *Schimper 771* (K, isosyn.).

I. tenuisiliqua Schweinf.: 241 (1896); Bak. f.: 109 (1926). Type: Sudan, 1868, *Schweinfurth 297* (K, isosyn.).

I. spinosa Forssk. var. *spiniflora* sensu Schweinf.: 237 (1896) p.p.

subsp. **obbiadensis** (*Chiov.*) *Schrire*, comb. et stat. nov.

I. sesquijuga Chiov. var. *obbiadensis* Chiov.: 139 (1929). Type: Somalia, Obbia, in dunes, *Puccioni & Stefanini 387 (439)* (FI, holo.).

Indigofera tritoides Bak. var. *obbiadensis* (Chiov.) J.B. Gillett in Kew Bulletin, Additional Series 1: 133 (1958c).

33. **Microcharis wajirensis** (*J.B. Gillett*) *Schrire*, comb. nov.

Indigofera wajirensis J.B. Gillett in Kew Bulletin, Additional Series 1: 135 (1958c); J.B. Gillett: 325 (1971). Type: Kenya, Wajir Region, 27-5-1952, *J.B. Gillett 13368* (K, holo.; EA).

34. **Microcharis welwitschii** (*Bak.*) *Schrire*, comb. nov.

Indigofera welwitschii Bak. in Oliver, Flora of tropical Africa 2: 84 (1871); Hiern: 209 (1896); Harms: 577 (1915); Bak. f.: 122 (1926); Bak. f.: 103 (1928); Cronq.: 171 (1954), pro maj. parte; J.B. Gillett: 543 (1958a); J.B. Gillett: 134 (1958c); Torre: 138 (1962); J.B. Gillett: 326 (1971); Thulin: 100 (1983); Thulin: 138 (1990). *Anila welwitschii* (Bak.) Kuntze: 940 (1891). Type: Angola, Pungo Andongo, Pedras de Cabondo, fl. & fr. 4-1857, *Welwitsch 2066* (BM, lecto.); COI, K, LISU, P). Lectotype selected here.

I. variabilis De Wild.: 134 (1904) non N.E. Br. (1903) nom. illegit. Type: Zaïre, Lower Congo, *Gillet 734* (BR, holo.).

INDIGASTRUM *Jaub. & Spach*

Indigastrum *Jaub. & Spach*, Illustrationes Plantarum Orientalium 5: 101, t. 492 (1857). Type species: *Indigastrum deflexum* (Hochst. ex A. Rich.) *Jaub. & Spach* (= *Indigastrum parviflorum* [Heyne ex Wight & Arn.] *Schrire*).

Indigofera subgenus *Euindigofera* *Benth.* in *Benth. & Hook. f.*: 494 (1865).

Indigofera 'group' *Indigastrum* (Jaub. & Spach) Bak. f.: 161 (1926); Cronq.: 124 (1954) p.p. excl. spp. 65–68.

Indigofera subgenus *Indigastrum* (Jaub. & Spach) J.B. Gillett: 123 (1958c); Torre: 136 (1962); J.B. Gillett: 320 (1971).

Indigofera sensu Hutch.: 400 (1964); Polhill: 291 (1981); De Kort & Thijssse: 104 (1984); Lock: 289 (1989); Thulin: 119 (1990).

1. *Indigastrum argyraeum* (Eckl. & Zeyh.) Schrire, comb. nov.

Indigofera argyraea Eckl. & Zeyh., Enumeratio plantarum: 239 (1836); Harv.: 201 (1862); A. Schreib.: 50 (1970). *Anila argyraea* (Eckl. & Zeyh.) Kuntze: 50 (1898). Type: Cape, in locis saxosis (altit. III) laterum montium prope Shiloh ad flumen Klipplaat R. tum ad Swart Kei R., Jan.–Mar., Ecklon & Zeyher 1595 (S, lecto!). Lectotype selected here.

I. collina Eckl. & Zeyh.: 239 (1836). Type: Cape, in petrosis (altit. II) collium continuorum inter flumina Koonap & Kat R., fr. Jul., Ecklon & Zeyher 1596 (S, lecto!). Lectotype selected here.

I. burchellii E. Mey. var. *paucifolia* E. Mey.: 106 (1836) non DC. Type: Cape, prope Zwartbulletjie in collibus, alt. 2500' (II, d), 6-3-1827, Drège 6689 (P, lecto!). Lectotype selected here.

I. burchellii E. Mey. var. *multifolia* E. Mey.: 106 (1836) non DC. Type: Cape, in rupestribus siccis ad Groot Vis R., alt. 300' (V, a), 20-6-1832, Drège 3802 (P, lecto!). Lectotype selected here.

I. medicaginea sensu A. Schreib.: 293 (1957) p.p., non Welw. ex Bak.

I. pseudoalternans Dinter, nom. nud.

2. *Indigastrum argyroides* (E. Mey.) Schrire, comb. nov.

Indigofera argyroides E. Mey., Commentariorum de plantis Africae australioris: 106 (1836); Harv.: 191 (1862); J.B. Gillett: 126 (1958c); A. Schreib.: 51 (1970). Type: Cape, ad ripas limosas fluvii Gariep, 200' (III, B), 16-9-1830, Drège 3313 (P, lecto!). Lectotype selected here.

I. saxicola Engl.: 28 (1888) non F. Muell. (1864). *I. engleri* Bak. f.: 194 (1903); Bak. f.: 105 (1926). Type: Namibia, lower Swakop River, 250 m, Marloth 1209 (SAM, lecto!).

I. medicaginea sensu A. Schreib.: 293 (1957) p.p., non Welw. ex Bak.

3. *Indigastrum burkeanum* (Benth. ex Harv.) Schrire, comb. nov.

Indigofera burkeana Benth. ex Harv. in Harv. & Sond., Flora capensis 2: 197 (1862); N.E. Br.: 373 (1932); Dyer: t. 939 (1944); J.B. Gillett: 125 (1958c) p.p., excl. specimens from Cape, Botswana and Namibia. Type: Transvaal, Magaliesberg, Dec., Zeyher 476 (K, holo.); S, TCD).

4. *Indigastrum candidissimum* (Dinter) Schrire, comb. nov.

Indigofera candidissima Dinter in Feddes Repertorium 18: 428 (1922); Dinter: 198 (1932); A. Schreib.: 52 (1970). Type: Namibia, Kegelberg, 4-4-1911, Dinter 2107 (B, †).

5. *Indigastrum costatum* (Guill. & Perr.) Schrire, comb. nov.

Indigofera costata Guill. & Perr., Florae Senegambia tentamen: 187 (1832); Bak.: 95 (1871); Bak. f.: 163 (1926). Type: Senegal, near mouth of Senegal, Ghiandoum, Perrotet s.n. (P, holo.); BM).

subsp. *costatum*

Indigofera costata Guill. & Perr. subsp. *costata*

J.B. Gillett in Kew Bulletin, Additional Series 1: 125 (1958c); J.B. Gillett: 543 (1958a); J.B. Gillett: 320 (1971); Thulin: 99 (1983); Thulin: 137 (1990).

subsp. *theuschii* (O. Hoffm.) Schrire, comb. nov.

Indigofera costata Guill. & Perr. subsp. *theuschii* (O. Hoffm.) J.B. Gillett in Kew Bulletin, Additional Series 1: 125 (1958c); Torre: 136 (1962). *I. theuschii* O. Hoffm.: 126 (1880–82); Bak. f.: 162 (1926); Bak. f.: 105 (1928) p.p.; A. Schreib.: 294 (1957). Type: Angola, Pungo Andongo, Theusch & Mechow 128 (B, †; BM, photo!).

I. affinis Harv.: 184 (1862) non De Wild.: 144 (1923). Type: Botswana, Lake Ngami, J. McCabe s.n. (K, holo!).

I. heptaphylla Hiern: 209 (1896); Eyles: 373 (1916). Type: Angola, Pungo Andongo, near de Quibinda, Quitage, Welwitsch 4143 (BM, lecto.); LISU). Selected by Torre: 136 (1962).

I. goniodes Hochst. ex Bak. var. *damarensis* Bak. f.: 163 (1926). Type: Namibia, Een s.n. (BM, holo!).

I. burkeana sensu J.B. Gillett: 125 (1958c) p.p., excl. specimens from Transvaal; A. Schreib.: 52 (1970), non Benth. ex Harv.

subsp. *goniodes* (Hochst. ex Bak.) Schrire, comb. nov.

Indigofera costata Guill. & Perr. subsp. *goniodes* J.B. Gillett in Kew Bulletin, Additional Series 1: 125 (1958c); J.B. Gillett: 320 (1971); Thulin: 99 (1983); Thulin: 137 (1990). *I. goniodes* Hochst. ex Bak.: 85 (1871). Type: Ethiopia, Tigray region, Dscha Dscha, 1854, Schimper 2242 (K, holo.); P!).

Indigastrum macrostachyum Jaub. & Spach: t. 493 (1857). Type: Ethiopia, Tigray region, Dscha Dscha, 1853, Schimper 1305 (P, holo!).

subsp. *macrum* (E. Mey.) Schrire, comb. nov.

Indigofera costata Guill. & Perr. subsp. *macra* (E. Mey.) J.B. Gillett in Kew Bulletin, Additional Series 1: 125 (1958c); A. Schreib.: 53 (1970). *I. macra* E. Mey.: 105 (1836); Harv.: 197 (1862); N.E. Br.: 373 (1932). *Anila macra* (E. Mey.) Kuntze: 939 (1891). Type: Cape, ad ripas fluvii Bashee, 500' (V, b), 26-1-1832, Drège 5419 (P, lecto!). Lectotype selected here.

I. macra E. Mey. var. *aequalis* N.E. Br.: 44 (1926). Type: Transvaal, Zoutpansberg, Messina, Moss & Rogers 131 (K, holo!).

I. goniodes sensu Eyles: 373 (1916) non Hochst. ex Bak.

I. goniodes Hochst. ex Bak. var. *rhodesica* Bak. f.: 76 (1920). Types: Zimbabwe, Bulawayo, F.A. Rogers 13666 (BM, syn.); Gardner 62 (K, syn.).

6. *Indigastrum fastigiatum* (E. Mey.) Schrire, comb. nov.

Indigofera fastigiata E. Mey., Commentariorum de plantis Africae australioris: 102 (1836); Harv.: 183 (1862); N.E. Br.: 373 (1932); J.B. Gillett: 124 (1958c). Type: Cape, inter Umzimvubu et Umsikaba, 1200' (V, b), 2-1832, Drège 5433 (P, lecto!). Lectotype selected here.

I. fastigiata E. Mey. var. *angustata* Harv.: 183 (1862). Type: Cape, Swartkops River, Zeyher 2442 (S, lecto!). Lectotype selected here.

I. rostrata Conrath: 223 (1908) non H. Bol.: 23 (1896). Type: Transvaal, Modderfontein, 1898, P. Conrath 1196 (K, holo!).

7. *Indigastrum guerranum* (Torre) Schrire, comb. nov.

Indigofera guerrana Torre in Memórias da Junta investigações do ultramar, sér. 2, 19: 61, t. 39 (1960); A. Schreib.: 57 (1970). Type: Angola, Mossamedes, entre o apeadeiro do C.F. Dois Iramaos e Virei, 9-5-1957, B. Teixeira 2249 (LISC, holo.); COI, LUA).

8. *Indigastrum parviflorum* (Heyne ex Wight & Arn.) Schrire, comb. nov.

Indigofera parviflora Heyne ex Wight & Arn., Prodromus florum peninsulae Indiae orientalis: 201 (1834); Harv.: 198 (1862); Bak.: 83 (1871); Fries: 78 (1914); Bak. f.: 162 (1926); N.E. Br.: 367 (1932); J.B. Gillett: 126 (1958c); Cronq.: 170 (1954); A. Schreib.: 60 (1970); J.B. Gillett: 321 (1971); Thulin: 99 (1983); Thulin: 137 (1990). *Anila parviflora* (Heyne ex Wight & Arn.) Kuntze: 939 (1871). Type: India, in herbarium Wallich no. 5457, Heyne s.n. (K, holo!).

subsp. **parviflorum**var. **parviflorum**

Indigofera parviflora Heyne ex Wight & Arn. var. *parviflora* in J.B. Gillett in Kew Bulletin 1955: 582 (1956); J.B. Gillett: 126 (1958c).

I. deflexa Hochst. ex A. Rich.: 178 (1847). *Indigostrum deflexum* (Hochst. ex A. Rich.) Jaub. & Spach: t. 492 (1857). Type: Ethiopia, Tacaze River near Dschelad-scheranne, fl. 14-9-1840, Schimper 1467 (P. lecto.); G, K!, S!, UPS). Lectotype selected here.

Indigofera barcensis Chiov.: 36 (1932). Type: Eritrea, *De Benedictis* 200 (FT, holo.).

var. **crispidulum** (J.B. Gillett) Schrire, comb. nov.

Indigofera parviflora Heyne ex Wight & Arn. var. *crispidula* J.B. Gillett in Kew Bulletin, Additional Series 1: 126 (1958c). Type: Zimbabwe, Matobo Dist., ± 1 350 m, fl. 11-3-1947, West 2252 (K, holo.; SRGH).

subsp. **occidentalis** (J.B. Gillett) Schrire, comb. et stat. nov.

Indigofera parviflora Heyne ex Wight & Arn. var. *occidentalis* J.B. Gillett in Kew Bulletin 1955: 582 (1956); J.B. Gillett: 543 (1958a); J.B. Gillett: 178 (1958c); Torre: 137 (1962). Type: Senegal, *Leprieur s.n.* (P, holo.; BM!).

REFERENCES

- BAKER, E.G. 1903. The Indigoferas of tropical Africa. *Journal of Botany* 41: 185–194, 234–245, 260–267, 323–334.
- BAKER, E.G. 1920. Leguminosae. *Journal of Botany* 58: 74–76.
- BAKER, E.G. 1926. *The Leguminosae of tropical Africa* 1: 95–166. Gent.
- BAKER, E.G. 1928. Leguminosae. *Journal of Botany* 66, Suppl. 1: 98–159.
- BAKER, E.G. 1929. *The Leguminosae of tropical Africa* 2: 256. Gent.
- BAKER, E.G. 1932. New African species of Leguminosae. *Journal of Botany* 70: 251–255.
- BAKER, J.G. 1871. Papilionaceae. In D. Oliver, *Flora of tropical Africa* 2: 65–132. Reeve, London.
- BAKER, J.G. 1895. *Indigofera tritoides*. *Kew Bulletin* 1895: 214.
- BALFOUR, I.B. 1882. *Indigofera leptocarpa*. *Proceedings of the Royal Society of Edinburgh* 11: 510.
- BENTHAM, G. 1865a. Leguminosae. In G. Bentham & J.D. Hooker, *Genera plantarum* 1: 494, 501. Reeve, London.
- BENTHAM, G. 1865b. Description of some new genera and species of tropical Leguminosae. *Transactions of the Linnean Society, London* 25: 297–320.
- BERTOLONI, A. 1832. *Dissertatio de quibusdam novis plantarum speciebus et de Byssu antiquorum*: 5. Bononia.
- BINNS, B. 1968. *A first checklist of the herbaceous flora of Malawi*: 81, 82. Government Printer, Zomba.
- BOLUS, H. 1896. Contributions to the flora of South Africa. *Journal of Botany* 34: 16–25.
- BROWN, N.E. 1897. *Microcharis galpinii*. *Kew Bulletin* 1897: 258.
- BROWN, N.E. 1926. *Indigofera*. In J. Burt Davy, *A manual of flowering plants and ferns of the Transvaal with Swaziland* 1: 44.
- BROWN, N.E. 1932. *Indigofera*. In J. Burt Davy, *A manual of flowering plants and ferns of the Transvaal with Swaziland* 2: 360–373. Longmans, London.
- CHEVALIER, A.J.B. 1920. *Exploration botanique de l'Afrique occidentale française* 1: 174. Paris.
- CHIOVENDA, E. 1929. *Flora of Somalia* 1: 139. Rome.
- CHIOVENDA, E. 1932. *Indigofera barcensis*. *Atti della Società dei naturalisti di Modena* 63: 36.
- CHIOVENDA, E. 1939. In Cufodontis, *Missione biologica nel paese dei Borana*: 71, t. 12.
- CONRATH, P. 1908. *Indigofera rostrata*. *Kew Bulletin* 1908: 223.
- CRONQUIST, A. 1954. Papilionaceae. V. Galegeae. *Flora du Congo Belge et du Ruanda-Urundi* 5: 72–175.
- DE KORT, I. & THIJSSSE, G. 1984. A revision of the genus *Indigofera* (Leguminosae-Papilionoideae) in southeast Asia. *Blumea* 30: 89–151.
- DE WILDEMAN, E. 1904. *Indigofera butayei*. *Annales du Musée du Congo Belge, Botanique Sér.* 5,1: 134.
- DE WILDEMAN, E. 1923. *Indigofera affinis*. In E. Baker & E. de Wilde, *Sur quelques Indigofera du Congo belge*. *Bulletin du Jardin Botanique de l'État à Bruxelles* 8: 143–159.
- DINTER, K. 1922. Index der aus Deutsch-Südwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XII. *Feddes Repertorium* 18: 423–444.
- DINTER, K. 1932. Diagnosen neuer südwestafrikanischer Pflanzen. *Feddes Repertorium* 30: 180–205.
- DYER, R.A. 1944. *Indigofera burkeana*. *The Flowering Plants of Africa* 24: t. 939.
- ECKLON, C.F. & ZEYHER, C. 1836 (Jan.). *Enumeratio plantarum africae australis extratropicae* 2: 232–245. Hamburg.
- ENGLER, H.G.A. 1888. *Plantae Marlothianae*. *Botanische Jahrbücher* 10,1: 1–50.
- ENGLER, H.G.A. 1895. *Die Pflanzenwelt Ost-Afrikas und der Nachbargebiete*. Theil C: 209–211. Berlin.
- EYLES, F. 1916. A record of plants collected in southern Rhodesia. *Transactions of the Royal Society of South Africa* 5: 372–375.
- FRIES, R.E. 1914. *Botanische Untersuchungen; wissenschaftliche Ergebnisse der Schwedischen Kongo-Rhodesia-Expedition*: 78. Stockholm.
- GILLETT, J.B. 1956. *Indigofera*. New species, varieties and names from West tropical Africa. *Kew Bulletin* 1955: 573–585.
- GILLETT, J.B. 1958a. *Indigofera*. In R.W.J. Keay, *Flora of west tropical Africa*, edn 2, 1: 533–543.
- GILLETT, J.B. 1958b. *Indigofera asparagoides*. *Kew Bulletin* 13: 176.
- GILLETT, J.B. 1958c. *Indigofera* (*Microcharis*) in tropical Africa with the related genera *Cyamopsis* and *Rhynchotropis*. *Kew Bulletin*, Additional Series 1: 1–166.
- GILLETT, J.B. 1970. Additions to our knowledge of *Indigofera* L. in East tropical Africa. *Kew Bulletin* 24, 3: 465–506.
- GILLETT, J.B. 1971. Indigoferae. In E. Milne-Redhead & R.M. Polhill, *Flora of tropical East Africa Leguminosae* 3, Papilionoideae: 321–328. Crown Agents.
- GUILLEMIN, A., PERROTTET, S. & RICHARD, A. 1832. *Florae Senegambiae tentamen*: 172–189.
- HARMS, H. 1915. *Indigofera*. In N.G.A. Engler, *Die Pflanzenwelt Afrikas* 3,1: 577, 578.
- HARVEY, W.H. 1862. Leguminosae. In W.H. Harvey & O.W. Sonder, *Flora capensis* 2: 163–203. Hodges, Smith, Dublin.
- HIERN, W.P. 1896. *Catalogue of the African plants collected by Dr Friedrich Welwitsch in 1853–1861*, 1: 206–218. London.
- HOFFMANN, O. 1880–1882. *Indigofera theuschii*. *Linnaea* 43: 126.
- HUTCHINSON, J. & DALZIEL, J.M. 1927. *Flora of west tropical Africa* 1, edn 1. Crown Agents, London.
- HUTCHINSON, J. 1964. Papilionaceae. In *Genera of flowering plants* Vol. 1: 400. Oxford.
- JAUBERT, H.-F. & SPACH, E. 1857. *Illustrationes plantarum orientium* 5: 101 t. 481, 482 and t. 492, 493 (1857). Paris.
- JOHNSTON, I.M. 1925. Further new plants collected by Mrs. Richard C. Curtis in tropical Africa. *Contributions from the Gray Herbarium of Harvard University, N.S.* 75: 23.
- KUNTZE, C.E.O. 1891–1898. *Revisio generum plantarum* 1: 159, 2: 938–940, 3,2: 50–52. Leipzig.
- LOCK, J.M. 1989. *Legumes of Africa: a checklist*: 289–332. Royal Botanic Gardens, Kew, London.
- MERXMÜLLER, H. 1951. *Microcharis pseudo-indigofera*. *Proceedings and Transactions of the Rhodesia Scientific Association* 43: 22.
- MEYER, E.H.F. 1836 (Feb.). *Commentariorum de plantis Africae australioris*: 92–108. Leipzig.
- MILNE-REDHEAD, E.W.B.H. 1936. Tropical African plants. *Kew Bulletin* 1936: 470.
- PELLEGRIN, F. 1925. *Indigofera asparagoides* Taub. var. *tisserantii*. *Bulletin Société botanique de France* 72: 538.
- PELLEGRIN, F. 1947. *Indigofera tisserantii*. *Bulletin Société de botanique de France* 94: 6.
- POLHILL, R.M. 1981. Indigoferae. In R.M. Polhill & P.H. Raven, *Advances in legume systematics* 1: 289–291. Royal Botanic Gardens, Kew.
- RICHARD, A. 1847. *Tentamen florae Abyssinicae* 1: 178–185. Paris.
- SCHINZ, H. 1888. Beiträge zur Kenntnis der Flora von Deutsch-Südwest-Afrika und der angrenzenden Gebiete II. *Abhandlungen des Botanischen Vereins der Provinz Brandenburg* 30: 138–186.
- SCHREIBER, A. 1957. Beiträge zur Kenntnis der Leguminosen Südwestafrikas. *Mitteilungen der Botanischen Staatssammlung München* 16: 283–299.
- SCHREIBER, A. 1970. Fabaceae. In H. Merxmüller, *Prodromus einer Flora von Südwestafrika* 60: 38–63. Cramer, Lehre.
- SCHRIERE, B.D. 1991. *Systematic studies in African Indigoferae (Leguminosae–Papilionoideae)* Ph.D. thesis, University of Natal, South Africa.
- SCHWEINFURTH, G.A. 1896. *Indigofera*. *Bulletin de l'Herbier Boissier* 4, app. 2: 237, 241.

- TAUBERT, P. 1894. Leguminosae. In A. Engler & K. Prantl, *Die natürlichen Pflanzenfamilien* edn 1, 3,3: 184–384. Berlin.
- TAUBERT, P. 1896. Leguminosae Africanae 1. *Botanische Jahrbücher* 23: 172–196.
- THULIN, M.L. 1982. New and noteworthy species of *Indigofera* (Leguminosae) from NE Africa. *Nordic Journal of Botany* 2: 41–50.
- THULIN, M.L. 1983. Leguminosae of Ethiopia. *Opera Botanica* 68: 82–100. Copenhagen.
- THULIN, M.L. 1989. *Indigofera tenuirostris*. *Nordic Journal of Botany* 8: 469.
- THULIN, M.L. 1990. In O. Hedberg & Edwards, *Flora of Ethiopia* 3: 119–138.
- TORRE, A.R. DA 1960. Taxa angolensia nova vel minus cognita 1. *Memórias da Junta de Investigações do Ultramar*, sér. 2, 19: 50–62.
- TORRE, A.R. DA 1962. Papilionoideae. *Conspectus florum angolensis* 3: 84–140. Junta de Investigações do Ultramar, Lisbon.
- VIERHAPPER, F. 1907. *Indigofera semhaensis*. *Denkschriften der Akademie der Wissenschaften* 71: 362.
- VIGUIER, R. 1949. Leguminosae madagascariensis novae. *Notulae systematicae* 13: 333–369.
- WIGHT, R. & ARNOTT, G.A.Q. 1834. *Prodromus florum peninsulae Indiae orientalis*: 201. London.
- WILLDENOW, C.L. 1802. *Caroli a Linné species plantarum* 3: 1220–1239. Berlin.