

INDEX

- Abelia*, 34, 35
Abies, Phenological Notes on Latin American *Pinus* and, 313
Abies religiosa, 316
— *vejari*, 316
Additamenta ad *Floram Jordanicae*, 160
Afrocrania, 104, 110
Alismataceae, 269
Alseuosmia, 34, 35
Ampacus latifolia, 216
Anatomy of *Aristeyera spicata* (*Palmae*), Notes on the Vegetative, 23
Anatomy of the Inflorescence Axis and Flowers of a New Palm, *Aristeyera spicata*, Morphology and, 9
Anatomy of the Leaf-bearing *Cactaceae*, Comparative, XVI. The Development of Water-soluble Crystals in Dehydrated Leaves of *Pereskopsis*, 273
Anatomy of the Palm *Rhapis excelsa*, II. Rhizome, 248; III. Juvenile Phase, 301
Andruris, 268
— *andajensis*, 268
— *japonica*, 268, 269
Aralia, 127, 130–132
— sect. *Aralia*, 131
— sect. *Arborescentes*, 131
— sect. *Humiles*, 132
— sect. *Nanae*, 131
— *spinosa*, 127
(*Araliaceae*), A New Species from the Solomon Islands, *Polyscias verticillata*, 270
Araliaceae in the Southeastern United States, The Genera of, 126
Araliaceae, 126–136
— tribe *Aralieae*, 130
Arctocrania, 105
— *suecica*, 105
Aristeyera, A New Genus of *Geonomoid* Palms, 1
Aristeyera spicata, Morphology and anatomy of the Inflorescence Axis and Flowers of a New Palm, 9
Aristeyera spicata (*Palmae*), Notes on the Vegetative Anatomy of, 23
Aristeyera, 1–22, 28
— *spicata*, 4–32
Arrow-wood, 42
Asterogyne, 1, 3
Atriplex, 160–165
Atriplex sect. *Coriacea*, 165
— sect. *Fruticulosae*, 163
— *asphaltitis*, 160–165
— *griffithii*, 165
— *halimus*, 165
— — *argutidens*, 160
Ayenia, 68–70
— sect. *Ayenia*, 69
BAILEY, I. W. Comparative Anatomy of the Leaf-bearing *Cactaceae*, XVI. The Development of Water-soluble Crystals in Dehydrated Leaves of *Pereskopsis*, 273
BAILEY, I. W. The Significance of the Reduction of Vessels in the *Cactaceae*, 288
Beach-berry, 297
Benthamia, 105
— *fragifera*, 105
Benthamidia, 105, 110
— *florida*, 105
Borassus, 9
Bothrocaryum, 104, 110
— *controversum*, 104
British Honduras, A Collection from, Studies in *Dioscorea*, I, 147
BRIZICKY, GEORGE K. The Genera of *Sterculiaceae* in the Southeastern United States, 60
BRIZICKY, GEORGE K. The *Goodeniaceae* in the Southeastern United States, 293
Buchanania arborescens, 216
Bush-honeysuckle, 52
Butomaceae, 269
Cactaceae, Comparative Anatomy of the Leaf-bearing, XVI. The Development of Water-soluble Crystals in Dehydrated Leaves of *Pereskopsis*, 273
Cactaceae, The Significance of the Reduction of Vessels in the, 288
Cactaceae, 273–292
— subfam. *Cereoideae*, 290
— subfam. *Opuntioideae*, 290
Calamus, 9
Calyptrogyne, 1, 3, 26, 27
Calyptronoma, 1, 3, 26, 27
Caprifoliaceae in the Southeastern United States, The Genera of, 33
Caprifoliaceae, 33–59
— tribe *Caprifolieae*, 48, 54

- Caprifoliaceae tribe Diervilleae, 51
 — tribe Linnaeeae, 48, 49
 — tribe Sambuceae, 38
 — tribe Viburneae, 41, 48
 Caprifolium, 34
 Carlemannia, 34
 Chamaepericlymenum, 105, 110
 — suecicum, 105
 Chamaerops, 15
 Collection from British Honduras, A, Studies in Dioscorea, I, 147
 Comparative Anatomy of the Leaf-bearing Cactaceae, XVI. The Development of Water-soluble Crystals in Dehydrated Leaves of Pereskopsis, 273
 Conostegia hotteana, 143–144
 Cordia bellonis, 138
 — wagnerorum, 137–138, 144, 145
 Cornaceae in the Southeastern United States, The, 106
 Cornaceae, 100, 106–116
 Cornella, 105
 — suecica, 105
 Cornus, Notes on the Nomenclature of, 100
 Cornus, 100–105, 106, 109, 116
 — sect. Afrocrania, 104
 — sect. Amblycaryum, 104
 — sect. Arctocrania, 105
 — sect. Benthamia, 105
 — sect. Bothrocaryum, 104
 — sect. Cornion, 105
 — sect. Cornotypus, 104
 — sect. Cynoxylon, 105
 — sect. Discocrania, 105
 — sect. Macrocarpium, 104
 — sect. Mesomora, 104
 — sect. Microcarpium, 104
 — sect. Tanycrania, 104
 — sect. Thelycrania, 103
 — subg. Afrocrania, 104
 — subg. Arctocrania, 104–105, 113
 — subg. Benthamia, 105, 113
 — subg. Benthamidia, 105
 — subg. Cornus, 103, 104, 113
 — subg. Cynoxylon, 105, 113
 — subg. Discocrania, 105
 — subg. Eukrania, 104
 — subg. Kraniopsis, 103–104, 110–112, 113
 — subg. Macrocarpium, 104
 — subg. Mesomora, 104, 112, 113
 — subg. Tanycrania, 104, 105
 — subg. Thelycrania, 103
 — a. Arctocrania, 104
 — b. Tanycrania, 104, 105
 — c. Thelycrania, 103
 — Gruppe Benthamidia, 105
 Cornus subsect. Amblycaryum, 104
 — — subsect. Bothrocaryum, 104
 — alternifolia, 104, 111
 — Amomum Amomum, 111
 — capitata, 105
 — controversa, 104
 — corynostylis, 104
 — disciflora, 105
 — florida, 105, 111
 — macrophylla, 104
 — mas, 103, 104
 — mascula, 104
 — nudiflora, 104
 — paniculata, 103
 — racemosa, 103
 — sanguinea, 103, 104
 — suecica, 104, 105
 — Volkensii, 104
 CRITCHFIELD, WILLIAM B. Phenological Notes on Latin American Pinus and Abies, 313
 Crystals in Dehydrated Leaves of Pereskopsis, The Development of Water-soluble. Comparative Anatomy of the Leaf-bearing Cactaceae, XVI, 273
 Curculigo capitulata, 142–143
 — recurvata, 142
 Cynoxylon, 105
 — floridum, 105
 Daphnopsis helleriana, Rediscovery of, 262
 Daphnopsis americana, 265
 — helleriana, 262–265
 — philippiana, 265
 Davidia involucrata, 118
 Dehydrated Leaves of Pereskopsis, The Development of Water-soluble Crystals in. Comparative Anatomy of the Leaf-bearing Cactaceae, XVI, 273
 Dendrobenthamia, 105, 110
 — capitata, 105
 Diervilla, 34, 38, 51–54
 — sect. Calyptrostigma, 53
 — sect. Weigelastrum, 53
 Dioscorea, Studies in, I: A Collection from British Honduras, 147
 Dioscorea, 147–159
 — sect. Higinbothamia, 154
 — sect. Macrogynodium, 153
 — sect. Monadelpha, 155
 — sect. Sarcantha, 153
 — sect. Triangulares, 151
 — subg. Dioscorea, 157
 — subg. Eudioscorea, 153
 — subg. Helmia, 155
 — alata, 159
 — bartlettii, 159

- Dioscorea belizensis*, 148
 — *bernoulliana*, 159
 — *cayenensis*, 159
 — *composita*, 159
 — *convolvulacea*, 159
 — — *glabra*, 159
 — *densiflora*, 159
 — *floribunda*, 159
 — *gaumeri*, 154–158, 159
 — *hondurensis*, 148–154, 159
 — *pilosiuscula*, 159
 — *sandwithii*, 157, 158, 159
 — *spiculiflora*, 159
 — *synandra*, 154
 — *tabascan*, 149
Dioscoreaceae, 147
Diplotaxis, 167
 — sect. *Catocarpum*, 167
 — *harra*, 167
 — *kerakensis*, 163, 164, 166–167
 Director's Report, The, 323
 Dogwood, 110
 Dogwood Family, 106
Drosera brevifolia, On the Identity of, 89
Drosera, 89
 — sect. *Drosera*, 89
 — *anglica*, 91
 — *annua*, 90, 98
 — *brevifolia*, 89, 90, 92–99
 — *capillaris*, 90, 91–92, 93, 96, 97, 98
 — *chiapasensis*, 90, 97
 — *cuneifolia*, 96
 — *filiformis*, 93
 — *intermedia*, 90, 91, 93, 98
 — *leucantha*, 90, 98
 — *longifolia*, 91, 93
 — *maritima*, 90, 98
 — *rotundifolia*, 93
 — *tenella*, 92

Elaeis, 21
 Elder, 39
Euphorbia aleppica aleppica, 170
 — — *prostrata*, 168–170
Evodia accedens, 216
 — *aromatica*, 216
 — *euneura*, 216
 — *glabra*, 216
 — *latifolia*, 216, 217
 — *lucida*, 216
 — *lunurankenda*, 217
 — *macrophylla*, 216
 — *marambong*, 216
 — *odorata*, 185
 EYDE, RICHARD H. The Nyssaceae in the Southeastern United States, 117

Fagara, 173
Fagara ailanthoides, 188
 — *anisata*, 193
 — *avicennae*, 190
 — *backeri*, 195
 — *boninshimae*, 188
 — *budrun*, 197
 — *chinensis*, 177
 — *cuspidata*, 177
 — *cyrtorhachia*, 177
 — *decandra*, 216
 — *diabolica*, 185
 — *diversifolia*, 190
 — *emarginella*, 188
 — *gigantea*, 185
 — *glabra*, 216
 — *hamiltoniana*, 181
 — *hemsleyana*, 188
 — *hirtella*, 181
 — *khasyana*, 177
 — *kwangsiensis*, 177
 — *laxifoliolata*, 177
 — *leiorhachia*, 177
 — *megistophylla*, 193
 — *montana*, 216
 — *myriacantha*, 185
 — *nitida*, 180
 — *oblongifolia*, 181
 — *odorata*, 185
 — *ovalifolia*, 207
 — *papuana*, 216
 — *parviflora*, 199
 — *pendjaluensis*, 181
 — *pterota*, 173
 — *rhetsa*, 197
 — *rhetsoides*, 185
 — *scandens*, 177
 — *serrulata*, 216
 — *torva*, 181
 — *triphylla*, 216
 — *varians*, 207
 — *warburgii*, 181
 FERGUSON, I. K. Notes on the Nomenclature of *Cornus*, 100
 FERGUSON, I. K. The Cornaceae in the Southeastern United States, 106
 FERGUSON, I. K. The Genera of Caprifoliaceae in the Southeastern United States, 33
 Feverwort, 48
 Firmiana, 66–68
 Floram Jordanicae, Additamenta ad, 160
 Flowers of a New Palm, *Aristeiera spicata*, Morphology and Anatomy of the Inflorescence Axis and 9

 Genera of Araliaceae in the Southeastern United States, The, 126

- Genera of Caprifoliaceae in the South-eastern United States, The, 33
- Genera of Sterculiaceae in the South-eastern United States, The, 60
- Genus *Linociera* (Oleaceae) in New Caledonia, The, 319
- Genus of Geonomoid Palms, *Aristeyera*, A New, 1
- Geonoma*, 1, 3, 26, 27
- Geonomoid Palms, *Aristeyera*, A New Genus of, 1
- Ginseng Family, 126
- Goodenia*, 293
- Goodenia* Family, 293
- Goodeniaceae* in the Southeastern United States, The, 293
- Goodeniaceae*, 293-300
- GRAHAM, SHIRLEY A. The Genera of *Araliaceae* in the Southeastern United States, 126
- GREEN, P. S. Identification of the Species and Hybrids in the *Lonicera tatarica* Complex, 75
- GREEN, P. S. The Genus *Linociera* (Oleaceae) in New Caledonia, 319
- GREEN, PETER S., and LILY RÜDENBERG. A Karyological Survey of *Lonicera*, I, 222
- GREEN, PETER S., and OTTO T. SOLBRIG. *Sciaphila dolichostyla* (Triuridaceae), 266
- Gum, 121
- HARTLEY, THOMAS G. A Revision of the Malesian Species of *Zanthoxylum* (Rutaceae), 171
- Hedera*, 130
- Higinbothamia*, 157
- *synandra*, 154
- Honeysuckle, 56
- Honeysuckle Family, 33
- Horse-gentian, 48
- HOWARD, RICHARD A. Notes on Some Plants of Puerto Rico, 137
- HOWARD, RICHARD A. The Director's Report, 323
- Hybrids in the *Lonicera tatarica* Complex, Identification of the Species and, 75
- Hydrocharitaceae*, 269
- Identification of the Species and Hybrids in the *Lonicera tatarica* Complex, 75
- Identity of *Drosera brevifolia*, On the, 89
- Inflorescence Axis and Flowers of a New Palm, *Aristeyera spicata*, Morphology and Anatomy of the, 9
- Jordanicae*, Additamenta ad Floram, 160
- Juvenile Phase, Anatomy of the Palm *Rhapis excelsa*, III, 301
- Kalbrejera*, 1, 3
- Karyological Survey of *Lonicera*, I., A., 222
- KASAPLIGIL, BAKI. Additamenta ad Floram *Jordanicae*, 160
- Latin American *Pinus* and *Abies*, Phenological Notes on, 313
- Leaf-bearing Cactaceae, Comparative Anatomy of the, XVI. The Development of Water-soluble Crystals in Dehydrated Leaves of *Pereskopsis*, 273
- Leucojum capitulatum*, 142
- Leycesteria*, 35
- Linociera* (Oleaceae) in New Caledonia, The Genus, 319
- Linociera*, 319-322
- *brachystachys*, 319-320
- *paniculata*, 321-322
- *quadristaminea*, 320
- Livistona chinensis*, 9
- Lonicera*, A Karyological Survey of, I, 222
- Lonicera tatarica* Complex, Identification of the Species and Hybrids in the, 75
- Lonicera*, 34, 35, 38, 54-59, 222-247
- — ser. *Pallasianae*, 226
- — ser. *Stenanthae*, 226
- sect. *Coeloxystoeum*, 236
- sect. *Isika*, 226, 230
- sect. *Isoxystoeum*, 230
- sect. *Lonicera*, 226, 236
- sect. *Nintooa*, 244
- subg. *Caprifolium*, 56, 57, 245
- subg. *Chamaecerasus*, 230
- subg. *Lonicera*, 56, 230
- subg. *Periclymenum*, 245
- — subsect. *Alpigenae*, 234
- — subsect. *Bracteatae*, 233
- — subsect. *Breviflorae*, 244
- — subsect. *Caeruleae*, 231
- — subsect. *Chlamydocarpi*, 232
- — subsect. *Cypheolae*, 245
- — subsect. *Distegiae*, 234
- — subsect. *Eucaprifolia*, 246
- — subsect. *Fragrantissimae*, 233
- — subsect. *Longiflorae*, 244
- — subsect. *Microstylae*, 230
- — subsect. *Ochranthae*, 239
- — subsect. *Phenianthi*, 245
- — subsect. *Pileatae*, 232
- — subsect. *Purpurascens*, 230
- — subsect. *Pyrenaicae*, 234
- — subsect. *Rhodanthae*, 235

- Lonicera* subsect. *Tataricae*, 236
 ——— subsect. *Vesicariae*, 232
 — *alseuosmoides*, 244
 — — “*coriacea*”, 244
 — *altaica*, 226
 — — $\times$ *pallasii*, 226
 — *altmannii*, 233
 — *alpigena*, 234
 — — *nana*, 234
 — — $\times$ *ledebourii*, 227
 — $\times$ *americana*, 227, 228, 246
 — — $\times$ *sempervirens*, 228
 — $\times$ *amoena*, 80, 81, 82, 227, 238
 — — *arnoldiana*, 80, 238
 — — — *alba*, 80, 238
 — — — *rosea*, 80
 — *angustifolium* $\times$ *myrtillus*, 228
 — $\times$ *bella*, 80–82, 227, 240
 — — — *albida*, 82
 — — — *atrorosea*, 82, 240
 — — — *candida*, 82, 241
 — — — *incarnata*, 82
 — — — *rosea*, 82, 241
 — — $\times$ *ruprechtiana*, 83, 227
 — — ‘*Dropmore*’, 82, 241
 — *biflora*, 244
 — $\times$ *brownii*, 227
 — *caerulea*, 226, 231
 — — *edulis*, 231
 — — — *graciliflora*, 231
 — *canadensis*, 230
 — *caprifolium*, 246
 — — $\times$ *etrusca*, 227, 228
 — — $\times$ *implexa*, 227
 — — $\times$ *periclymenum*, 227
 — *chaetocarpa*, 234
 — *chrysantha*, 242
 — — *longipes*, 242
 — — — *latifolia*, 243
 — — — *regeliana*, 243
 — — — *villosa*, 243
 — — $\times$ *ruprechtiana*, 227
 — — $\times$ *xylosteum*, 227
 — $\times$ *coerulescens*, 227
 — *deflexicalyx*, 243
 — — $\times$ *quinquelocularis*, 227
 — *demissa*, 240
 — *dioica*, 245
 — — $\times$ *flava*, 228
 — — $\times$ *hirsuta*, 228
 — — $\times$ *prolifera*, 228
 — *discolor*, 235
 — $\times$ *epsomiensis*, 228
 — *etrusca*, 246
 — — $\times$ *implexa*, 227, 228
 — — $\times$ *periclymenum*, 228
 — *ferdinandii*, 232
 — — *induta*, 232
 — *leycesterioides*, 232
 — *flava*, 246
 — — $\times$ *hirsuta*, 227
 — — $\times$ *prolifera*, 227
 — — $\times$ *sullivantii*, 227
 — *floribunda*, 82, 238
 — — $\times$ *nummulariifolia*, 226
 — *fragrantissima*, 233
 — — $\times$ *standishii*, 227
 — $\times$ *gibbiflora*, 227
 — *glauca* $\times$ *hirsuta*, 228
 — *glehnii*, 234
 — *gymnochlamydea*, 232
 — $\times$ *heckrottii*, 228
 — $\times$ *helvetica*, 226
 — *henryi*, 244
 — — *subcoriacea*, 245
 — *hildebrandiana*, 245
 — *hirsuta* $\times$ *prolifera*, 227
 — — $\times$ *sempervirens*, 227
 — *hispida*, 233
 — — *bracteata*, 233
 — *hypoleuca* $\times$ *quinquelocularis*, 226
 — *iberica*, 232
 — *implexa*, 246
 — *involucrata*, 234
 — — — *humilis*, 234
 — — — *serotina*, 234
 — $\times$ *italica*, 227, 228
 — *japonica*, 245
 — *koehneana*, 243
 — *korolkowii*, 81, 82, 238
 — — *aurora*, 82, 238
 — — *floribunda*, 82, 238
 — — *zabelii*, 82
 — — $\times$ *tatarica*, 80, 227
 — *ledebourii*, 234
 — *maackii*, 243
 — — — *erubescens*, 243
 — — — *podocarpa*, 243
 — *maximowiczii*, 235
 — *micranthoides*, 228
 — *microphylla*, 230
 — $\times$ *minutiflora*, 82, 227, 241
 — — ‘*Valencia*’, 241
 — *modesta*, 235
 — — *lushanensis*, 235
 — *morrowii*, 82–83, 84, 240, 241
 — — — *xanthocarpa*, 82–83, 240
 — — $\times$ *ruprechtiana*, 84, 227
 — — $\times$ *tatarica*, 80, 227
 — — $\times$ *xylosteoides*, 82, 227
 — $\times$ *muendeniense*, 83–84, 227, 241
 — — — *xanthocarpa*, 241
 — $\times$ *muscaviensis*, 84, 227, 241
 — *myrtilloides*, 228, 230
 — *myrtillus*, 230

- Lonicera myrtillus depressa*, 230
 — *nervosa*, 235
 — *nigra*, 235
 — — $\times$ *orientalis*, 228
 — — $\times$ *tatarica*, 228
 — — $\times$ *xylosteum*, 226
 — *nitida*, 232
 — $\times$ *notha*, 84–85, 227, 239
 — — — *alba*, 85, 239
 — — — *carnea*, 85, 239
 — — — *carneo-rosea*, 85, 239
 — — — *gilva*, 85
 — — — *grandiflora*, 85
 — — — *ochroleuca*, 85
 — — — *rosea*, 85
 — — — *striata*, 85
 — *nummulariifolia* $\times$ *quinelocularis*, 226
 — *orientalis*, 235
 — — *caucasica*, 235
 — — *longifolia*, 235
 — *periclymenum*, 247
 — — — *belgica*, 247
 — — — ‘*Wisleyensis*’, 247
 — *pileata*, 232
 — *praeiflorens*, 233
 — *prolifera*, 245
 — $\times$ *propinqua*, 227
 — *prostrata*, 244
 — $\times$ *pseudochrysantha*, 227, 243
 — $\times$ *purpusii*, 227, 233
 — *pyrenaica*, 234
 — *quinelocularis*, 228, 244
 — — — *translucens*, 244
 — *rupicola*, 230
 — *ruprechtiana*, 85, 86, 239
 — — — *calvescens*, 85, 239
 — — — *xanthocarpa*, 85, 239
 — — — $\times$ *tatarica*, 84, 227
 — — — $\times$ *xylosteoides*, 85, 227
 — $\times$ *salicifolia*, 85–86, 227, 240
 — $\times$ *sargentii*, 227
 — *segrezianensis*, 228
 — *sempervirens*, 245
 — — — $\times$ *tragophylla*, 228
 — — — ‘*Dreer’s Everblooming*’, 245
 — — — ‘*Magnifica*’, 245
 — *splendida*, 246
 — *stabiana*, 246
 — *standishii*, 233
 — — — *lancifolia*, 233
 — — — ‘*Rosea*’, 233
 — *subsessilis*, 235
 — *syringantha*, 230
 — *tatarica*, 81, 86–88, 236, 238, 239
 — — — *nana*, 88
 — — — — *angustifolia*, 236
 — — — — *elegans*, 236

Lonicera tatarica fenzlii, 236
 — — — *grandiflora*, 236
 — — — *latifolia*, 236
 — — — *leroyana*, 236
 — — — *lutea*, 237
 — — — *punicea*, 237
 — — — *rosea*, 237
 — — — *roseo-alba*, 237
 — — — *sibirica*, 237
 — — — *virginalis*, 237
 — — — $\times$ *xylosteum*, 88, 227
 — — — ‘*Arnold Red*’, 87, 237
 — — — ‘*Hack’s Red*’, 87, 237
 — — — ‘*Lutea*’, 87
 — — — ‘*Morden Orange*’, 87, 237
 — — — ‘*Nana*’, 87
 — — — ‘*Sheridan Red*’, 87, 237
 — *tatsiensis*, 234
 — $\times$ *tellmanniana*, 228, 245
 — *tenuipes*, 230
 — *thibetica*, 230
 — *tomentella*, 230
 — *trichosantha*, 244
 — — — *acutiuscula*, 244
 — *vesicaria*, 232
 — $\times$ *vilmorinii*, 227, 243
 — *webbiana*, 234
 — $\times$ *xylosteoides*, 88, 227, 228, 238
 — *xylosteum*, 88, 227, 228, 242
 — — — *compacta*, 88
 — — — *glabrescens*, 88
 — — — *lutea*, 88
 — — — *mollis*, 88, 242
 — — — ‘*Claveyi*’, 88, 242
 — — — ‘*Clavey’s Dwarf*’, 88
 — *yunnanensis*, 245
Loranthus guadalupensis, 139
 — *portoricensis*, 140

Macrocarpium, 104
Malesian Species of Zanthoxylum (Rutaceae), A Revision of the, 171
Mapouria parasitica, 140
Mascarena, 9
Melicope papuana, 216
 — *triphylla*, 216
Melochia, 70–72
 — sect. *Melochia*, 71
 — sect. *Moluchia*, 71–72
 — sect. *Mougeotia*, 72
 — sect. *Visenia*, 72
Memecylanthus, 34
Mesomora, 105
 — *canadensis*, 105
Molineria hortensis, 142
 — *recurvata*, 142
 MOORE, HAROLD E., JR., *Aristeyera*, A
 New Genus of Geonomoid Palms, 1

- Morphology and Anatomy of the Inflorescence Axis and Flowers of a New Palm, *Aristeyera spicata*, 9
- Nardostachys, 34
- NEVLING, LORIN I., JR., and ROY WOODBURY. Rediscovery of *Daphnopsis helleriana*, 262
- New Caledonia, The Genus *Linociera* (Oleaceae) in, 319
- Nomenclature of *Cornus*, Notes on the, 100
- Notelaea, 319
- *brachystachys*, 319
- *francii*, 319
- *paniculata*, 321
- Notes on Latin American *Pinus* and *Abies*, Phenological, 313
- Notes on Some Plants of Puerto Rico, 137
- Notes on the Nomenclature of *Cornus*, 100
- Notes on the Vegetative Anatomy of *Aristeyera spicata* (Palmae), 23
- Nothopanax, 270
- Nugae sylvarum silvestris, 180
- Nyssa, 117, 119–125
- *ogeche*, 120
- Nyssaceae in the Southeastern United States, The, 117
- Nyssaceae, 117–125
- (Oleaceae) in New Caledonia, The Genus *Linociera*, 319
- Oleaceae, 319–322
- subfam. Oleoideae, 320
- Oplopanax horridus, 127
- Osmanthus, 319
- *brachystachys*, 319
- *francii*, 319
- Ossea, 104
- *instolonea*, 104
- Pachydiscus, 34
- Palm, *Aristeyera spicata*, Morphology and Anatomy of the Inflorescence Axis and Flowers of a New, 9
- Palm *Rhapis excelsa*, Anatomy of the, II. Rhizome, 248; III. Juvenile Phase, 301
- palma, 8
- (Palmae), Notes on the Vegetative Anatomy of *Aristeyera spicata*, 23
- Palmae, 1
- subfam. Arecoideae, 1
- tribe Geomeae, 2
- palmito, 8
- Palms, *Aristeyera*, A New Genus of Geonomoid, 1
- Panax, 130, 132–136
- Parexuris, 268
- Pereskia, 274, 289
- *bleo*, 289
- *grandifolia*, 289
- *sacharosa*, 289
- *tampicana*, 282
- Pereskopsis, The Development of Water-soluble Crystals in Dehydrated Leaves of. Comparative Anatomy of the Leaf-bearing Cactaceae, XVI, 273
- Pereskopsis, 273, 282, 283, 289
- Phenological Notes on Latin American *Pinus* and *Abies*, 313
- Pholidostachys, 1, 3, 26, 27
- Picrasma javanica, 216
- Pinus* and *Abies*, Phenological Notes on Latin American, 313
- Pinus attenuata*, 313
- *ayacahuite*, 313
- *caribaea*, 316
- *clausa*, 314
- *douglasiana*, 317
- *durangensis*, 313
- *elliottii*, 314
- *hartwegii*, 316
- *lawsonii*, 314
- *michoacana*, 316
- *montezumae*, 316
- *oocarpa*, 317
- *patula*, 317
- *longipedunculata*, 317
- *pinceana*, 313
- *pringlei*, 317
- *pseudostrobus*, 316
- *oaxacana*, 317
- *radiata*, 313
- *tenuifolia*, 317
- *teocote*, 317
- Piper pinnatum*, 180
- Plants of Puerto Rico, Notes on Some, 137
- Polyscias verticillata* (Araliaceae), A New Species from the Solomon Islands, 270
- Polyscias*, 270–272
- *corticata*, 270
- *excelsa*, 270
- *fruticosa*, 270
- *grandifolia*, 270
- *guilfoylei*, 270
- *joskei*, 270
- *multijuga*, 270
- *nusedhul*, 270
- *neo-ebudara*, 270
- *pinnata*, 270

- Polyscias scutellaria*, 270
 — *subcapitata*, 270
 — *tahitensis*, 270
 — *verticillata*, 271, 272
Psychotria grosourdyana, 140
 — *guadalupensis*, 139–142
 — *parasitica*, 139
 — *pendula*, 140
 — — *subsp. genuina*, 140
 — — *subsp. grenadensis*, 140
 — — *subsp. grosourdyana*, 140
 — — *subsp. pachyphylla*, 140
 — — *subsp. tetrapyrena*, 140
 — — *subsp. trinitensis*, 140
 — *tetrapyrena*, 140
 Puerto Rico, Notes on Some Plants of, 137

Quiabentia, 289

 Rediscovery of *Daphnopsis helleriana*, 262
Reinhardtia, 27
 Revision of the Malesian Species of *Zanthoxylum* (Rutaceae), A, 171
Rhapis excelsa, Anatomy of the Palm, II. Rhizome, 248; III. Juvenile Phase, 301
Rhapis excelsa, 248–261, 301–312
 Reduction of Vessels in the Cactaceae, The Significance of the, 288
 Rhizome, Anatomy of the Palm *Rhapis excelsa*, II., 248
 RÜDENBERG, LILY, and PETER S. GREEN. A Karyological Survey of *Lonicera*, I, 222
 (Rutaceae), A Revision of the Malesian Species of *Zanthoxylum*, 171
 Rutaceae, 171

Sabal, 9
Sambucus, 34, 35, 37, 38–41
 — *canadensis*, 38
Sarcocarpaea, 297
Sarlina, 319
 — *cylindrocarpa*, 319
Scaevola, 296–300
 — *plumieri*, 297
Scheuchzeria, 269
Scheuchzeriaceae, 269
 SCHUBERT, BERNICE G., Studies in *Dioscorea*, I: A Collection from British Honduras, 147
Sciaphila dolichostyla (Triuridaceae), 266
Sciaphila, 266–269
 — *sect. Hexanthera*, 269
 — *sect. Oliganthera*, 268–269
 — *andajensis*, 268
 — *dolichostyla*, 266–269
 — *japonica*, 268

Sciaphila neo-caledonica, 267
 — *thaidanica*, 268, 269
 — *tosaensis*, 268
Sclerosperma, 27
 Significance of the Reduction of Vessels in the Cactaceae, The, 288
Silvianthus, 34
Snowberry, 49
 SOLBRIG, OTTO T., and PETER S. GREEN. *Sciaphila dolichostyla* (Triuridaceae), 266
Solanum woodburyi, 138–139, 144, 146
 Solomon Islands, *Polyscias verticillata* (Araliaceae), A New Species from the, 270
 Southeastern United States, The Cornaceae in the, 106
 Southeastern United States, The Genera of Araliaceae in the, 126
 Southeastern United States, The Genera of Caprifoliaceae in the, 33
 Southeastern United States, The Genera of Sterculiaceae in the, 60
 Southeastern United States, The Goodeeniaceae in the, 293
 Southeastern United States, The Nyssaceae in the, 117
 Species and Hybrids in the *Lonicera tatarica* Complex, Identification of the, 75
 Species from the Solomon Islands, *Polyscias verticillata* (Araliaceae), A New, 270
 Species of *Zanthoxylum* (Rutaceae), A Revision of the Malesian, 171
 Staphyleaceae, 40
Sterculia, 61
Sterculia Family, 60
Sterculiaceae in the Southeastern United States, The Genera of, 60
Sterculiaceae, 60–74
 — *tribe Byttnerieae*, 68
 — *tribe Hermannieae*, 70–72
 — *tribe Sterculieae*, 66
 STONE, BENJAMIN C. *Polyscias verticillata* (Araliaceae), A New Species from the Solomon Islands, 270
 Studies in *Dioscorea*, I: A Collection from British Honduras, 147
 Survey of *Lonicera*, I., A Karyological, 222
Swida, 104, 110
Symphoricarpos, 35, 38, 49–51
 — *sect. Meridionales*, 49
 — *sect. Symphoricarpos*, 49
 — *subg. Anisanthus*, 49
 — *subg. Eusymphoricarpos*, 49

- Taenianthera*, 1, 3
Tenagocharis, 269
Thelycrania, 103
Thymelaeaceae, 264
Tieghemopanax, 270
Tipalia, 173
 — *limonella*, 173, 197
Toddalia, 217
 TOMLINSON, P. B. Notes on the Vegetative Anatomy of *Aristeyera spicata* (Palmae), 23
 TOMLINSON, P. B. and MARTIN H. ZIMMERMANN. Anatomy of the Palm *Rhapis excelsa*, II. Rhizome, 248; III. Juvenile Phase, 301
Triosteum, 35, 37, 47-49
 (Triuridaceae) *Sciaphila dolichostyla*, 266
Triuridaceae, 269
Turpinia, 40
 — *montana*, 216, 217
Tupelo, 121
Tupelo Family, 117

 UHL, NATALIE W. Morphology and Anatomy of the Inflorescence Axis and Flowers of a New Palm, *Aristeyera spicata*, 9
Uragoga grosourdiana, 140
 — *parasitica*, 140

Waltheria, 72-74
 Water-soluble Crystals in Dehydrated Leaves of *Pereskopsis*, The Development of. Comparative Anatomy of the Leaf-bearing Cactaceae, XVI, 273
Welfia, 1, 2, 26, 27
Weigela, 34, 35
 WOOD, C. E., JR. On the Identity of *Drosera brevifolia*, 89
 WOODBURY, ROY, and LORIN I. NEVLING, JR. Rediscovery of *Daphnopsis helleriana*, 262

 Vegetative Anatomy of *Aristeyera spicata* (Palmae), Notes on the, 23
 Vessels in the Cactaceae, The Significance of the Reduction of, 288
Viburnum, 34, 35, 37, 41-47
 — sect. *Lentago*, 43-44
 — sect. *Odontotinus*, 44-45
 — sect. *Pseudotinus*, 42-43
Viscoides pendulum, 139

Xanthoxylon, 173
Xanthoxylum, 173
 — *americanum*, 173
 — *cuspidatum*, 177
 — *lentiscifolium*, 190
 — *planispinum*, 214-215

Zanthoxylum (Rutaceae), A Revision of the Malesian Species of, 171
Zanthoxylum, 171, 173-221
 — *acanthopodium*, 209-211
 — *accedens*, 216
 — *ailanthoides*, 187, 188-190
 — *inerme*, 188
 — *alatum*, 211
 — *planispinum*, 211
 — *armatum*, 211-215
 — *aromaticum*, 216
 — *asperum*, 181
 — *glabrum*, 181
 — *avicennae*, 190-193
 — *tonkinense*, 192
 — *touranense*, 192
 — *backeri*, 195
 — *budrunga*, 197
 — *paucijuga*, 197
 — *calcicolum*, 180
 — *caudatum*, 185
 — *celebicum*, 200-201
 — *chaffanjoni*, 180
 — *chinensis*, 177
 — *collinsae*, 181
 — *consersipunctatum*, 204-205
 — *cyrtorhachium*, 178
 — *diabolicum*, 185
 — *dimorphophyllum*, 209
 — *diminutum*, 211
 — *dissitiodes*, 180
 — *diversifolium*, 190
 — *dominianum*, 207
 — *emarginellum*, 188
 — *euneuron*, 216
 — *forbesii*, 193-195
 — *giganteum*, 185
 — *hamiltonianum*, 181
 — *hemsleyanum*, 188
 — *hirtellum*, 181
 — *horsfieldii*, 216
 — *inerme*, 188, 207
 — *integrifoliolum*, 205-207
 — *iwahigense*, 190
 — *javanicum*, 216
 — *hasianum*, 177
 — *laetum*, 180
 — *lamarkianum*, 216
 — *latifolium*, 216
 — *laxifoliolatum*, 177
 — *leiorhachium*, 178
 — *limonella*, 173, 197-199
 — *lucidum*, 216
 — *macrophyllum*, 216
 — *marambong*, 216
 — *megistophyllum*, 193
 — *micranthum*, 189
 — *minahassae*, 197

Zanthoxylum molle, 187
— *montanum*, 216
— *myriacanthum*, 185–187
— *nitidum*, 180–185
— *odoratum*, 185
— *ovalifolium*, 207–209
— — *sepearium*, 207
— *oxyphyllum*, 180
— *parviflorum*, 199–200
— *planispinum*, 211, 214
— *pluviatile*, 201–204
— *retroflexum*, 195–196
— *rhetsa*, 197
— — *budrunga*, 197
— *rhetsoides*, 185
— — *pubescens*, 185
— *rhizinoides*, 216
— *robiginosum*, 209
— *roxburghianum*, 217
— *rumphianum*, 217

Zanthoxylum scabrum, 181
— *scandens*, 177–180
— *sepearium*, 207
— *serrulatum*, 217
— *suberosum*, 207
— *tetraspermum*, 185
— *tidorense*, 190
— *timoriense*, 217
— *torvum*, 181
— *triplinerve*, 217
— *vinkii*, 201, 202
— *yunnanense*, 177

Zilla spinosa, 170
— — *emarginata*, 166, 167–170

ZIMMERMANN, MARTIN H., and P. B.
TOMLINSON. Anatomy of the Palm
Rhapis excelsa, II. Rhizome, 248; III.
Juvenile Phase, 301



1966. "Index [Vol. 47]." *Journal of the Arnold Arboretum* 47(4), 347–356.
<https://doi.org/10.5962/p.324694>.

View This Item Online: <https://www.biodiversitylibrary.org/item/40427>

DOI: <https://doi.org/10.5962/p.324694>

Permalink: <https://www.biodiversitylibrary.org/partpdf/324694>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.